


Y-SERIES

compatible to:

Dentsply Implants[®]
Ankylos[®]



PLATFORM:



C/X

TITANIUM BASE

incl. screw

Y 80350000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

Y 9.S3D3.50X



NT-MILL LAB ANALOG

Y 5.La3.500



IMPLANT PICK-UP

for open-tray with integrated screw

Y TR-00013.5



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345 in the catalogue

Y 603500



DIM ANALOG®

Y 5.DIM.350



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A10



Y-SERIES

TITANIUM BASE NX

incl. screw

GH 1,0mm

Y 82350010

GH 2,0mm

Y 82350020



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

Y 9.S3D3.50X



NT-MILL LAB ANALOG

Y 5.La3.500



IMPLANT PICK-UP

for open-tray with integrated screw

Y TR-00013.5



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345 in the catalogue

Y 603500



DIM ANALOG®

Y 5.DIM.350



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A10



NT-PREFORM®

incl. coloured milling screw

Y 10.Mi3.50X.05



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

Y 9.S3D3.50X



NT-MILL LAB ANALOG

for NT-Preform®

Y 5La3.500



COLOURED MILLING SCREW

for NT-Preform®

Y 6.Sc3.570



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345 in the catalogue

Y 603500



DIM ANALOG®

Y 5.DIM.350



SLEEVE (belongs to DIM ANALOG®)
plaster model

DIM 5.XSL.A10



ABUTMENT GRIP

for NT-Holder fixture

W12.100.000



I-BUTMENT

individual milled by NT-iDent

Not available in the USA

TZ15.TiO.Si1



Y-SERIES

2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm

Y-2CON 8035001S

GH 2,5 mm

Y-2CON 8035002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm

Y-2CON 8035001M

GH 2,5 mm

Y-2CON 8035002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 15 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm


2CON 5.La1.800



2-CONNECT®-ABUTMENT SET (ANGLED)

incl. 2-CONnect®-Coping, mounting aid,
Coping-screw and Male Part Screw, angled 20°,
Gingiva Height 2,5 mm

Y-2CON 8035XA3S



2-CONNECT®-ABUTMENT

angled 20°, Gingiva Height 2,5 mm
Male Part incl. screw,
mounting aid

Y-2CON 8035XA3M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning
KS 62 = 1,6 mm

2CON 9.S3D1.600



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 15 Ncm

KS 62



MALE PART SCREW

for angled 20° 2-CONnect® Abutment
Recommended tightening torques: 20 Ncm

Y 6.Ms3.500



2-CONNECT®-DIM ANALOG®

KS 62 = 1,6 mm

2CON 5.DIM.160



SLEEVE (belongs to DIM ANALOG®)
plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw
KS 62 = 1,6 mm

2CON TR-00031.6



2-CONNECT®-LAB ANALOG

KS 62 = 1,6 mm

2CON 5.La1.600

