


SEV-SERIES

compatible to:

DENTSPLY Implants[®]
Astra Tech
Implant System[™] EV



PLATFORMS:



3,0 mm



3,6 mm



4,2 mm



4,8 mm



5,4 mm



TITANIUM BASE

incl. screw

SEV 80300000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

SEV 9.S3D3.000



NT-MILL LAB ANALOG

SEV 5.La3.000



IMPLANT PICK-UP

for open-tray with integrated screw

SEV TR-00013.0



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

SEV 603000



DIM ANALOG®

SEV 5.DIM.300



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A10





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>SEV 10.Mi3.000.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>SEV 9.S3D3.000</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>SEV 5.La3.000</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>SEV 6.Sc3.000</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>SEV 603000</p>	
<p>DIM ANALOG®</p>	<p>SEV 5.DIM.300</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A10</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.100.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p style="color: orange;">Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm SEV-2CON 8030001S

GH 2,5 mm SEV-2CON 8030002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm SEV-2CON 8030001M

GH 2,5 mm SEV-2CON 8030002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	SEV-2CON 80300A3S	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	SEV-2CON 80300A3M	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	2CON 9.S3D1.600	
<p>2-CONNECT®-COPING Female Part</p>	2CON F-U	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	KS 62	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	SEV 6.Ms3.000	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	2CON 5.DIM.160	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	DIM 5.XSL.A30	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw KS 62 = 1,6 mm</p>	2CON TR-00031.6	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	2CON 5.La1.600	



TITANIUM BASE

incl. screw

SEV 80360000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

SEV 9.S3D3.600



NT-MILL LAB ANALOG

SEV 5.La3.600



IMPLANT PICK-UP

for open-tray with integrated screw

SEV TR-00023.6



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

SEV 603600



DIM ANALOG®

SEV 5.DIM.360



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A10





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>SEV 10.Mi3.600.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>SEV 9.S3D3.600</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>SEV 5.La3.600</p>	 <p>groove</p>
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>SEV 6.Sc3.600</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>SEV 603600</p>	
<p>DIM ANALOG®</p>	<p>SEV 5.DIM.360</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A10</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.100.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm SEV-2CON 8036001S

GH 2,5 mm SEV-2CON 8036002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm SEV-2CON 8036001M

GH 2,5 mm SEV-2CON 8036002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>SEV-2CON 80360A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>SEV-2CON 80360A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>	<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>SEV 6.Ms3.600</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	

SEV
SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.



TITANIUM BASE

incl. screw

SEV 80420000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

SEV 9.S3D4.200



NT-MILL LAB ANALOG

SEV 5.La4.200



IMPLANT PICK-UP

for open-tray with integrated screw

SEV TR-00034.2



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

SEV 604200



DIM ANALOG®

SEV 5.DIM.420



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>SEV 10.Mi4.200.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>SEV 9.S3D4.200</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>SEV 5.La4.200</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>SEV 6.Sc4.200</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>SEV 604200</p>	
<p>DIM ANALOG®</p>	<p>SEV 5.DIM.420</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A20</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.200.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm SEV-2CON 8042001S

GH 2,5 mm SEV-2CON 8042002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm SEV-2CON 8042001M

GH 2,5 mm SEV-2CON 8042002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	SEV-2CON 80420A3S	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	SEV-2CON 80420A3M	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	2CON 9.S3D1.600	
<p>2-CONNECT®-COPING Female Part</p>	2CON F-U	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	KS 62	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	SEV 6.Ms4.200	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	2CON 5.DIM.160	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	DIM 5.XSL.A30	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw KS 62 = 1,6 mm</p>	2CON TR-00031.6	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	2CON 5.La1.600	



TITANIUM BASE

incl. screw

SEV 80480000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

SEV 9.S3D4.800



NT-MILL LAB ANALOG

SEV 5.La4.800



IMPLANT PICK-UP

for open-tray with integrated screw

SEV TR-00044.8



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

SEV 604854



DIM ANALOG®

SEV 5.DIM.480



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A30





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>SEV 10.Mi4.800.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>SEV 9.S3D4.800</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>SEV 5.La4.800</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>SEV 6.Sc4.854</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>SEV 604854</p>	
<p>DIM ANALOG®</p>	<p>SEV 5.DIM.480</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.300.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm SEV-2CON 8048001S

GH 2,5 mm SEV-2CON 8048002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm SEV-2CON 8048001M

GH 2,5 mm SEV-2CON 8048002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>SEV-2CON 80480A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>SEV-2CON 80480A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>	<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>SEV 6.Ms4.854</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	



TITANIUM BASE

incl. screw

SEV 80540000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

SEV 9.S3D5.400



NT-MILL LAB ANALOG

SEV 5.La5.400



IMPLANT PICK-UP

for open-tray with integrated screw

SEV TR-00055.4



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

SEV 604854



DIM ANALOG®

SEV 5.DIM.540



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A30





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>SEV 10.Mi5.400.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>SEV 9.S3D5.400</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>SEV 5.La5.400</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>SEV 6.Sc4.854</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>SEV 604854</p>	
<p>DIM ANALOG®</p>	<p>SEV 5.DIM.540</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.300.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm SEV-2CON 8054001S

GH 2,5 mm SEV-2CON 8054002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm SEV-2CON 8054001M

GH 2,5 mm SEV-2CON 8054002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8




2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>SEV-2CON 80540A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>SEV-2CON 80540A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>	<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>SEV 6.Ms4.854</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	

SEV
SERIES