


# HIO-SERIES

compatible to:

*HIOSSEN*<sup>®</sup>

*OSSTEM TS*<sup>®</sup>



**PLATFORMS:**



*3,5 mm*



*4,0 – 6,0 mm*



## TITANIUM BASE

incl. screw

HIO 80350000



## SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

HIO 9.S3D3.500



## NT-MILL LAB ANALOG

HIO 5.La3.500



## IMPLANT PICK-UP

for open-tray with integrated screw

HIO TR-00013.5



## ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

HIO 603500



## DIM ANALOG®

HIO 5.DIM.350



## SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A10





<p><b>NT-PREFORM®</b> incl. coloured milling screw</p>	<p>HIO 10.Mi3.500.05</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	<p>HIO 9.S3D3.500</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>	<p>HIO 5.La3.500</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>	<p>HIO 6.Sc3.500</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>HIO 603500</p>	
<p><b>DIM ANALOG®</b></p>	<p>HIO 5.DIM.350</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A10</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>	<p>W 12.100.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	

HIO  
SERIES



## 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm HIO-2CON 8035001S

GH 2,5 mm HIO-2CON 8035002S



## 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm HIO-2CON 8035001M

GH 2,5 mm HIO-2CON 8035002M



## 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



## 2-CONNECT®-COPING

Female Part

2CON F-U



## COPING-SCREW

Recommended tightening torques: 15 Ncm

KS 61



## 2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



## SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



## 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



## 2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b> incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>HIO-2CON 80350A3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b> angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>HIO-2CON 80350A3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b> Female Part</p>	<p>2CON F-U</p>	
<p><b>COPING-SCREW</b> Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p><b>MALE PART SCREW</b> for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>HIO 6.Ms3.500</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b> KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b> integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b> KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	



## TITANIUM BASE

incl. screw

HIO 80406000



## SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

HIO 9.S3D4.060



## NT-MILL LAB ANALOG

HIO 5.La4.060



## IMPLANT PICK-UP

for open-tray with integrated screw

HIO TR-00024.0



## ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

HIO 604060



## DIM ANALOG®

HIO 5.DIM.406



## SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p><b>NT-PREFORM®</b> incl. coloured milling screw</p>	<p>HIO 10.Mi4.060.05</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	<p>HIO 9.S3D4.060</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>	<p>HIO 5.La4.060</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>	<p>HIO 6.Sc4.060</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>HIO 604060</p>	
<p><b>DIM ANALOG®</b></p>	<p>HIO 5.DIM.406</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A20</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>	<p>W 12.200.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	

HIO  
SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.



## 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm HIO-2CON 8040601S

GH 2,5 mm HIO-2CON 8040602S



## 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm HIO-2CON 8040601M

GH 2,5 mm HIO-2CON 8040602M



## 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



## 2-CONNECT®-COPING

Female Part

2CON F-U



## COPING-SCREW

Recommended tightening torques: 25 Ncm

KS 61



## 2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



## SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



## 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



## 2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b> incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>HIO-2CON 80406A3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b> angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>HIO-2CON 80406A3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b> Female Part</p>	<p>2CON F-U</p>	
<p><b>COPING-SCREW</b> Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p><b>MALE PART SCREW</b> for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>HIO 6.Ms4.060</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b> KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b> integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b> KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	