


E-SERIES

compatible to:

*Nobel Biocare™
Replace Select®*



A: over surface

B: over edge

PLATFORMS:



3,5 mm NP



4,3 mm RP



5,0 mm WP



6,0 mm



TITANIUM BASE

incl. screw

E 800



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

E 9.S3D3.500



LAB ANALOG

E 50



IMPLANT PICK-UP

for open-tray with integrated screw

E TR-NP013.5



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

E 60



DIM ANALOG®

E 5.DIM.350



SLEEVE (belongs to DIM ANALOG®)
plaster model

DIM 5.XSL.A10





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>GH 0,5 mm E 10.Mi3.500.05 GH 1,3 mm E 10.Mi3.500</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>E 9.S3D3.500</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>E 5.La3.500</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>E 6.Sc3.500</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>E 60</p>	
<p>DIM ANALOG®</p>	<p>E 5.DIM.350</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A10</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.100.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p>	<p>Not available in the USA E 15.TiO.Si1</p>	

E SERIES



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm

E 800 S

GH 2,5 mm

E-2CON 8035002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm

E 800 M

GH 2,5 mm

E-2CON 8035002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 30 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





2-CONNECT®-ABUTMENT SET (ANGLED)	incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm	A: over surface	E-2CON 80350C3S	
		B: over edge	E-2CON 80350A3S	
2-CONNECT®-ABUTMENT	angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid	A: over surface	E-2CON 80350C3M	
		B: over edge	E-2CON 80350A3M	
2-CONNECT®-SCAN BODY 3D-GUIDE®	for intra + extra oral scanning KS 62 = 1,6 mm		2CON 9.S3D1.600	
2-CONNECT®-COPING	Female Part		2CON F-U	
COPING-SCREW	Recommended tightening torques: 15 Ncm		KS 62	
MALE PART SCREW	for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm		E 6.Ms3.500	
2-CONNECT®-DIM ANALOG®	KS 62 = 1,6 mm		2CON 5.DIM.160	
SLEEVE (belongs to DIM ANALOG®) plaster model			DIM 5.XSL.A30	
2-CONNECT®-IMPLANT PICK-UP	integrated screw KS 62 = 1,6 mm		2CON TR-00031.6	
2-CONNECT®-LAB ANALOG	KS 62 = 1,6 mm		2CON 5.La1.600	



TITANIUM BASE

incl. screw

E 810



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

E 9.S3D4.300



LAB ANALOG

E 51



IMPLANT PICK-UP

for open-tray with integrated screw

E TR-RP024.3



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

E 61



DIM ANALOG®

E 5.DIM.430



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A20





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>GH 0,5 mm GH 1,3 mm</p>	<p>E 10.Mi4.300.05 E 10.Mi4.300</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>		<p>E 9.S3D4.300</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>		<p>E 5.La4.300</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>		<p>E 6.Sc4.350</p>	
<p>ABUTMENT SCREW</p> 	<p>Overview of all screwdrivers on pages 344 and 345</p>	<p>E 61</p>	
<p>DIM ANALOG®</p>		<p>E 5.DIM.430</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A20</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>		<p>W 12.200.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p>	<p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	

E
SERIES



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm

E 810 S

GH 2,5 mm

E-2CON 8043002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm

E 810 M

GH 2,5 mm

E-2CON 8043002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 30 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





2-CONNECT®-ABUTMENT SET (ANGLED)	A: over surface B: over edge	E-2CON 80430C3S E-2CON 80430A3S	
incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm			
2-CONNECT®-ABUTMENT	A: over surface B: over edge	E-2CON 80430C3M E-2CON 80430A3M	
angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid			
2-CONNECT®-SCAN BODY 3D-GUIDE®		2CON 9.S3D1.600	
for intra + extra oral scanning KS 62 = 1,6 mm			
2-CONNECT®-COPING		2CON F-U	
Female Part			
COPING-SCREW		KS 62	
Recommended tightening torques: 15 Ncm			
MALE PART SCREW		E 6.Ms4.350	
for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm			
2-CONNECT®-DIM ANALOG®		2CON 5.DIM.160	
KS 62 = 1,6 mm			
SLEEVE (belongs to DIM ANALOG®) plaster model		DIM 5.XSL.A30	
2-CONNECT®-IMPLANT PICK-UP		2CON TR-00031.6	
integrated screw KS 62 = 1,6 mm			
2-CONNECT®-LAB ANALOG		2CON 5.La1.600	
KS 62 = 1,6 mm			

E
SERIES



TITANIUM BASE

incl. screw

E 820



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

E 9.S3D5.000



LAB ANALOG

E 52



IMPLANT PICK-UP

for open-tray with integrated screw

E TR-WP035.0



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

E 61



DIM ANALOG®

E 5.DIM.500



SLEEVE (belongs to DIM ANALOG®)
plaster model

DIM 5.XSL.A30





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>GH 0,5 mm E 10.Mi5.000.05 GH 1,3 mm E 10.Mi5.000</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>E 9.S3D5.000</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>E 5.La5.000</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>E 6.Sc4.350</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>E 61</p>	
<p>DIM ANALOG®</p>	<p>E 5.DIM.500</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.300.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p>	<p>Not available in the USA E 15.TiO.Si1</p>	

E
SERIES



2-CONNECT®-ABUTMENT SET (STRAIGHT)


incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm

E 820 S

GH 2,5 mm

E-2CON 8050002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm

E 820 M

GH 2,5 mm

E-2CON 8050002S



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 30 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>A: over surface B: over edge</p>	<p>E-2CON 80500C3S E-2CON 80500A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>A: over surface B: over edge</p>	<p>E-2CON 80500C3M E-2CON 80500A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>		<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>		<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>		<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>		<p>E 6.Ms4.350</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>		<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw KS 62 = 1,6 mm</p>		<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>		<p>2CON 5.La1.600</p>	



TITANIUM BASE

incl. screw

E 830



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

E 9.S3D6.000



LAB ANALOG

E 53



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

E 61



DIM ANALOG®

E 5.DIM.600



SLEEVE (belongs to DIM ANALOG®)
plaster model

DIM 5.XSL.A60



Nobel Biocare™ / Replace Select®

6,0 mm



E
SERIES