


# L-SERIES

compatible to:

*Straumann  
Bone Level®*



*A: over surface*

*B: over edge*

## **PLATFORMS:**



*3,3 mm NC*



*4,1 / 4,8 mm RC*



<p><b>TITANIUM BASE</b> incl. screw <i>Not available in the USA</i></p>	L 800	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	L 9.S3D3.300	
<p><b>LAB ANALOG</b></p>	L 50	
<p><b>IMPLANT PICK-UP</b> for open-tray with integrated screw</p>	L TR-NC013.3	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	L 60	
<p><b>DIM ANALOG®</b></p>	L 5.DIM.330	
<p><b>SLEEVE</b> (belongs to DIM ANALOG) plaster model</p>	DIM 5.XSL.A10	



<p><b>NT-PREFORM®</b> incl. coloured milling screw <i>Not available in the USA</i></p>	<p>GH 0,5 mm GH 1,3 mm</p>	<p>L 10.Mi3.300.05 L 10.Mi3.300</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>		<p>L 9.S3D3.300</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>		<p>L 5.La3.300</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>		<p>L 6.Sc3.341</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>		<p>L 60</p>	
<p><b>DIM ANALOG®</b></p>		<p>L 5.DIM.330</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A10</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>		<p>W 12.100.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent</p>	<p><i>Not available in the USA</i></p>	<p>TZ15.TiO.Si1</p>	

L  
SERIES



### 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm

L 800 S

GH 2,5 mm

L-2CON 8033002S



### 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm

L 800 M

GH 2,5 mm

L-2CON 8033002M



### 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



### 2-CONNECT®-COPING

Female Part

2CON F-U



### COPING-SCREW

Recommended tightening torques: 30 Ncm

KS 61



### 2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



### SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



### 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



### 2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b> incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>Not available in the USA</p> <p>A: over surface B: over edge</p>	<p>L-2CON 80330A3S L-2CON 80330C3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b> angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>Not available in the USA</p> <p>A: over surface B: over edge</p>	<p>L-2CON 80330A3M L-2CON 80330C3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning KS 62 = 1,6 mm</p>		<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b> Female Part</p>		<p>2CON F-U</p>	
<p><b>COPING-SCREW</b> Recommended tightening torques: 15 Ncm</p>		<p>KS 62</p>	
<p><b>MALE PART SCREW</b> for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>		<p>L 6.Ms3.341</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b> KS 62 = 1,6 mm</p>		<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b> integrated screw KS 62 = 1,6 mm</p>		<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b> KS 62 = 1,6 mm</p>		<p>2CON 5.La1.600</p>	



### TITANIUM BASE

incl. screw

Not available in the USA

L 810



### SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

L 9.S3D4.148



### LAB ANALOG

L 51



### IMPLANT PICK-UP

for open-tray with integrated screw

L TR-RC024.1



### ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

L 60



### DIM ANALOG®

L 5.DIM.414



### SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p><b>NT-PREFORM®</b> incl. coloured milling screw <i>Not available in the USA</i></p>	<p>GH 0,5 mm GH 1,3 mm</p>	<p>L 10.Mi4.148.05 L 10.Mi4.148</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>		<p>L 9.S3D4.148</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>		<p>L 5.La4.148</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>		<p>L 6.Sc3.341</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>		<p>L 60</p>	
<p><b>DIM ANALOG®</b></p>		<p>L 5.DIM.414</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A20</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>		<p>W 12.200.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent <i>Not available in the USA</i></p>		<p>TZ15.TiO.Si1</p>	

L  
SERIES



### 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm	L 810 S
GH 2,5 mm	L-2CON 8041482S



### 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm	L 810 M
GH 2,5 mm	L-2CON 8041482M



### 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



### 2-CONNECT®-COPING

Female Part

2CON F-U



### COPING-SCREW

Recommended tightening torques: 30 Ncm

KS 61



### 2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



### SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



### 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



### 2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b> incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>Not available in the USA</p> <p>A: over surface B: over edge</p>	<p>L-2CON 84148A3S L-2CON 84148C3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b> angled 20°, Gingiva Height 2,5 mm, Male Part incl. screw, mounting aid</p>	<p>Not available in the USA</p> <p>A: over surface B: over edge</p>	<p>L-2CON 84148A3M L-2CON 84148C3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning KS 62 = 1,6 mm</p>		<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b> Female Part</p>		<p>2CON F-U</p>	
<p><b>COPING-SCREW</b> Recommended tightening torques: 15 Ncm</p>		<p>KS 62</p>	
<p><b>MALE PART SCREW</b> for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>		<p>L 6.Ms3.341</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b> KS 62 = 1,6 mm</p>		<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b> integrated screw KS 62 = 1,6 mm</p>		<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b> KS 62 = 1,6 mm</p>		<p>2CON 5.La1.600</p>	