


UPR-SERIES

compatible to:

*Sweden &
Martina Implantology™
Premium Kohno®*



PLATFORMS:



3,3 mm



3,8 mm



4,25 mm



5,0 mm



TITANIUM BASE

incl. screw

UPR 80330000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

UPR 9.S3D.3.300



NT-MILL LAB ANALOG

UPR 5.La3.300



IMPLANT PICK-UP

for open-tray with integrated screw

UPR TR-00013.3



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

UPR 603338



DIM ANALOG®

UPR 5.DIM.330



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A10





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>UPR 10.Mi3.300.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>UPR 9.S3D.3.300</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>UPR 5.La3.300</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>UPR 6.Sc3.338</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>UPR 603338</p>	
<p>DIM ANALOG®</p>	<p>UPR 5.DIM.330</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A10</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.100.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm UPR-2CON 8033001S

GH 2,5 mm UPR-2CON 8033002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm UPR-2CON 8033001M

GH 2,5 mm UPR-2CON 8033002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





2-CONNECT®-ABUTMENT SET (ANGLED)

incl. 2-CONnect®-Coping, mounting aid,
Coping-screw and Male Part Screw, angled 20°,
Gingiva Height 2,5 mm

UPR-2CON 80330A3S



2-CONNECT®-ABUTMENT

angled 20°, Gingiva Height 2,5 mm
Male Part inclusive Screw,
mounting aid

UPR-2CON 80330A3M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning
KS 62 = 1,6 mm

2CON 9.S3D1.600



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 15 Ncm

KS 62



MALE PART SCREW

for angled 20° 2-CONnect® Abutment
Recommended tightening torques: 20 Ncm

UPR 6.Ms.3.338



2-CONNECT®-DIM ANALOG®

KS 62 = 1,6 mm

2CON 5.DIM.160



SLEEVE (belongs to DIM ANALOG®)
plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw,
KS 62 = 1,6 mm

2CON TR-00031.6



2-CONNECT®-LAB ANALOG

KS 62 = 1,6 mm

2CON 5.La1.600





TITANIUM BASE

incl. screw

UPR 80380000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

UPR 9.S3D3.800



NT-MILL LAB ANALOG

UPR 5.La3.800



IMPLANT PICK-UP

for open-tray with integrated screw

UPR TR-00023.8



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

UPR 603338



DIM ANALOG®

UPR 5.DIM.380



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>UPR 10.Mi3.800.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>UPR 9.S3D.3.800</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>UPR 5.La3.800</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>UPR 6.Sc3.338</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>UPR 603338</p>	
<p>DIM ANALOG®</p>	<p>UPR 5.DIM.380</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A20</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.200.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm UPR-2CON 8038001S

GH 2,5 mm UPR-2CON 8038002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm UPR-2CON 8038001M

GH 2,5 mm UPR-2CON 8038002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>UPR-2CON 80380A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part inclusive Screw, mounting aid</p>	<p>UPR-2CON 80380A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>	<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>UPR 6.Ms.3.338</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw, KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	



TITANIUM BASE

incl. screw

UPR 80420000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

UPR 9.S3D4.200



NT-MILL LAB ANALOG

UPR 5.La4.200



IMPLANT PICK-UP

for open-tray with integrated screw

UPR TR-00034.2



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

UPR 604250



DIM ANALOG®

UPR 5.DIM.420



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>UPR 10.Mi4.200.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>UPR 9.S3D4.200</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>UPR 5.La4.200</p>	 <p>groove</p>
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>UPR 6.Sc4.250</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>UPR 604250</p>	
<p>DIM ANALOG®</p>	<p>UPR 5.DIM.420</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A20</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.200.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm UPR-2CON 8042001S

GH 2,5 mm UPR-2CON 8042002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm UPR-2CON 8042001M

GH 2,5 mm UPR-2CON 8042002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>UPR-2CON 80420A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part inclusive Screw, mounting aid</p>	<p>UPR-2CON 80420A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>	<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>UPR 6.Ms4.250</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw, KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	



TITANIUM BASE

incl. screw

UPR 80500000



SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

UPR 9.S3D5.000



NT-MILL LAB ANALOG

UPR 5.La5.000



IMPLANT PICK-UP

for open-tray with integrated screw

UPR TR-00045.0



ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

UPR 604250



DIM ANALOG®

UPR 5.DIM.500



SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A30





<p>NT-PREFORM® incl. coloured milling screw</p>	<p>UPR 10.Mi5.000.05</p>	
<p>SCAN BODY 3D-GUIDE® for intra + extra oral scanning</p>	<p>UPR 9.S3D5.000</p>	
<p>NT-MILL LAB ANALOG for NT-Preform®</p>	<p>UPR 5.La5.000</p>	
<p>COLOURED MILLING SCREW for NT-Preform®</p>	<p>UPR 6.Sc4.250</p>	
<p>ABUTMENT SCREW</p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>UPR 604250</p>	
<p>DIM ANALOG®</p>	<p>UPR 5.DIM.500</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>ABUTMENT GRIP for NT-Holder fixture</p>	<p>W 12.300.000</p>	
<p>CUSTOMIZED ABUTMENT milled by NT-iDent</p> <p style="color: red; font-size: small;">Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm UPR-2CON 8050001S

GH 2,5 mm UPR-2CON 8050002S



2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm UPR-2CON 8050001M

GH 2,5 mm UPR-2CON 8050002M



2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



2-CONNECT®-COPING

Female Part

2CON F-U



COPING-SCREW

Recommended tightening torques: 20 Ncm

KS 61



2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p>2-CONNECT®-ABUTMENT SET (ANGLED) incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>UPR-2CON 80500A3S</p>	
<p>2-CONNECT®-ABUTMENT angled 20°, Gingiva Height 2,5 mm Male Part inclusive Screw, mounting aid</p>	<p>UPR-2CON 80500A3M</p>	
<p>2-CONNECT®-SCAN BODY 3D-GUIDE® for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p>2-CONNECT®-COPING Female Part</p>	<p>2CON F-U</p>	
<p>COPING-SCREW Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p>MALE PART SCREW for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>UPR 6.Ms4.250</p>	
<p>2-CONNECT®-DIM ANALOG® KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p>SLEEVE (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p>2-CONNECT®-IMPLANT PICK-UP integrated screw, KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p>2-CONNECT®-LAB ANALOG KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	