


# R-SERIES

compatible to:

*Zimmer Dental  
Tapered Screw-Vent®*



**PLATFORMS:**



*3,5 mm*



*4,5 mm*



*5,7 mm*



<p><b>TITANIUM BASE</b> incl. screw</p>	<p>R 800</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	<p>R 9.S3D3.500</p>	
<p><b>LAB ANALOG</b></p>	<p>R 50</p>	
<p><b>IMPLANT PICK-UP</b> for open-tray with integrated screw</p>	<p>R TR-00013.5</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>R 60</p>	
<p><b>DIM ANALOG®</b></p>	<p>R 5.DIM.350</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG) plaster model</p>	<p>DIM 5.XSL.A10</p>	



<p><b>NT-PREFORM®</b> incl. coloured milling screw</p>	<p>GH 0,5 mm    R 10.Mi3.500.05 GH 1,3 mm    R10.Mi3.500</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	<p>R 9.S3D3.500</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>	<p>R 5.La3.500</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>	<p>R 6.Sc3.557</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>R 60</p>	
<p><b>DIM ANALOG®</b></p>	<p>R 5.DIM.350</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A10</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>	<p>W 12.100.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent</p>	<p>Not available in the USA    TZ15.TiO.Si1</p>	

R  
SERIES



## 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm	R 800 S
GH 2,5 mm	R-2CON 8035002S



## 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm	R 800 M
GH 2,5 mm	R-2CON 8035002M



## 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 60 = 1,4 mm

2CON 9.S3D1.400



## 2-CONNECT®-COPING

Female Part

2CON F-U



## COPING-SCREW

Recommended tightening torques: 15 Ncm

KS 60



## 2-CONNECT®-DIM ANALOG®

KS 60 = 1,4 mm

2CON 5.DIM.140



## SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



## 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 60 = 1,4 mm

2CON TR-00011.4



## 2-CONNECT®-LAB ANALOG

KS 60 = 1,4 mm

2CON 5.La1.400





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b> incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>R-2CON 80350A3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b> angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>R-2CON 80350A3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b> Female Part</p>	<p>2CON F-U</p>	
<p><b>COPING-SCREW</b> Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p><b>MALE PART SCREW</b> for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>R 6.Ms3.557</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b> KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b> integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b> KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	

R  
SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.



## TITANIUM BASE

incl. screw

R 810



## SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

R 9.S3D4.500



## LAB ANALOG

R 51



## IMPLANT PICK-UP

for open-tray with integrated screw

R TR-00024.5



## ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

R 60



## DIM ANALOG®

R 5.DIM.450



## SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p><b>NT-PREFORM®</b> incl. coloured milling screw</p>	<p>GH 0,5 mm GH 1,3 mm</p>	<p>R 10.Mi4.500.05 R10.Mi4.500</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>		<p>R 9.S3D4.500</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>		<p>R 5.La4.500</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>		<p>R 6.Sc3.557</p>	
<p><b>ABUTMENT SCREW</b></p> 	<p>Overview of all screwdrivers on pages 344 and 345</p>	<p>R 60</p>	
<p><b>DIM ANALOG®</b></p>		<p>R 5.DIM.450</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>		<p>DIM 5.XSL.A20</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>		<p>W 12.200.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent</p>	<p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	



## 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm

R 810 S

GH 2,5 mm

R-2CON 8045002S



## 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm

R 810 M

GH 2,5 mm

R-2CON 8045002M



## 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 60 = 1,4 mm

2CON 9.S3D1.400



## 2-CONNECT®-COPING

Female Part

2CON F-U



## COPING-SCREW

Recommended tightening torques: 15 Ncm

KS 60



## 2-CONNECT®-DIM ANALOG®

KS 60 = 1,4 mm

2CON 5.DIM.140



## SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



## 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 60 = 1,4 mm

2CON TR-00011.4



## 2-CONNECT®-LAB ANALOG

KS 60 = 1,4 mm

2CON 5.La1.400





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b> incl. 2-CONnect®-Coping, mounting aid, Coping-screw and Male Part Screw, angled 20°, Gingiva Height 2,5 mm</p>	<p>R-2CON 80450A3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b> angled 20°, Gingiva Height 2,5 mm Male Part incl. screw, mounting aid</p>	<p>R-2CON 80450A3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b> Female Part</p>	<p>2CON F-U</p>	
<p><b>COPING-SCREW</b> Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p><b>MALE PART SCREW</b> for angled 20° 2-CONnect® Abutment Recommended tightening torques: 20 Ncm</p>	<p>R 6.Ms3.557</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b> KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b> integrated screw KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b> KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	

R  
SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.



## TITANIUM BASE

incl. screw

R 820



## SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

R 9.S3D5.700



## LAB ANALOG

R 52



## ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

R 60



## DIM ANALOG®

R 5.DIM.570



## SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A30





<p><b>NT-PREFORM®</b> incl. coloured milling screw</p>	<p>GH 0,5 mm R 10.Mi5.700.05 GH 1,3 mm R10.Mi5.700</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	<p>R 9.S3D5.700</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>	<p>R 5.La5.700</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>	<p>R 6.Sc3.557</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>R 60</p>	
<p><b>DIM ANALOG®</b></p>	<p>R 5.DIM.570</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>	<p>W 12.300.000</p>	
<p><b>CUSTOMIZED ABUTMENT</b> milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	